



**NOTES:**  
 THIS DRAWING IS NOT AN ACCURATE VISUAL REPRESENTATION AND SHOULD BE USED FOR WIRING INSTRUCTIONS ONLY.

<b>FOR N/O OPERATION:</b>	<b>FOR N/C OPERATION:</b>
SOL 1 - EXHAUST VALVE A	SOL 1 - EXHAUST VALVE A
SOL 2 - INLET VALVE A	SOL 2 - INLET VALVE B
SOL 3 - INLET VALVE B	SOL 3 - INLET VALVE A
SOL 4 - EXHAUST VALVE B	SOL 4 - EXHAUST VALVE B

**WARNING:**  
 SOLENOID CABLES SHOULD NOT BE SWITCHED AROUND. THE APPROPRIATE SOLENOID VALVES MUST BE FITTED TO THE PRODUCT TO ENSURE CORRECT OPERATION.

GENERAL TOLERANCES UNLESS OTHERWISE STATED:  
 X ± 0.5mm | XX ± 0.25mm | XXX ± 0.1mm  
 ANGLES ± 0.5°

	DRAWN	CHECKED	APPROVED
NAME	DS	AB	DS
DATE	24/09/2021	24/09/2021	24/09/2021

nano-purification solutions limited  
 www.n-psi.co.uk

©NANO-POROUS SOLUTIONS LTD 2021.  
 THE ORIGINAL OF THIS DRAWING IS COPYRIGHT AND CONTAINS CONFIDENTIAL INFORMATION. IT IS THE PROPERTY OF NANO PURIFICATION SOLUTIONS LTD WITHOUT WHOSE PERMISSION IT MAY NOT BE COPIED, SHOWN OR HANDED TO A THIRD PARTY OR OTHERWISE USED AND IT IS TO BE RETURNED PROMPTLY UPON REQUEST TO NANO PURIFICATION SOLUTIONS LTD.

TITLE:  
**SERIES 2 & 3 CONTROLLER**

DWG NO. <b>98-100-0025</b>	REVISION: <b>C-04</b>
DO NOT SCALE DRAWING	SHEET 1 OF 1
	SHEET SIZE <b>A4</b>