



			Dati elett	rici / F	Inctrical	data					
Schema Elettrico / Wir	ing Diagr	ram	Alimentazio				ply			460V/3	F/60HZ
			Tensione a				<u> </u>			230VAC	- 24VAC
Progetto / Project: 85504180U	L02		Limiti ope	rativi /	Operati	na limits					
			Range di te							+/-	- 10%
Γ			Squilibrio te				e:				- 2%
Modello macchina / Machine model:	US MOD. : 2	201	Range di fr	requenza	/ Freque	ency rang	e:			+/-	- 1%
MODELLO / MODEL POTENZA MAX. MAX. POWER MAX. CURRENT MAX. LRA LRA LRA LRA LRA LRA	MODELLO / MODEL TENZA MAX.	CORRENT MAX. MAX. POWER CORRENTE MAX. MAX. CURRENT MAX. CURRENT	SORE / COMPRES	MAGNETOTERMICO MAIN SWITCH	POTENZA MAX. MAX. POWER	dmra / va Max. current	MAGNETOTERMICO MAIN SWITCH	POTENZA MAX. MAX. POWER. NAA.	CORRENTE MAX. MAX. CURRENT	MAGNETOTERMICO MAIN SWITCH	
			₩ N° X A	₩₩ N° X A	N° X KW	D₩ N° X A	₩¥ N° X A	N° X KW	⊡¥ N° X A	₩₩ N° X A	
US MOD. : 201 31,9 54.5 174	US MOD. : 201 2 X	X 11.6 2 X 20.2	2 X 139	2 X 3X25A	2 X 3.5	2 X 5.6	3 X 6,3	3 2 X 0,93	2 X 1,5	3 X 10	
THE DRAWING IS A PROPERTY OF NANO-PURIFICATION SOLUTIONS AND WE RESERVE THE COPYRIGHT TO ALL OUR DESIGNS WHICH CANNOT BE REPRODUCED, TRANSMITTED, DISCLOSED TO THIRD PARTIES OR UTILIZED IN ANYFORM WITHOUT OBTAINING OUR WRITTEN CONSENT. CONTRAVENTION				_							
WILL BE PROSECUTED. THIS DRAWING IS SUBJECT TO NOTIFICATION TIME TO TIME TO SUIT CONSTRUCTION PURPOSE.		FIRST ISSUE		06/07.	/2020	CT		AC			AC
	Rev. Descrizione rev	evisione / Revisi	ion description	Data /	Date	Dis./Drc	ift. V	′erificato ∕ Ch	ecked	Approvato	/ Approved












0	1	2	3	4	5	6	7	8	9
			22 <u>10</u> 1 _{>6.2}	23 102 >6.3	25 ID3 ≫6.3	26 ID4 ≥6.3	- <mark>ID5</mark> ≫6.4		
			PD T	Q1 1.3 72		PB1 E	X • 27 ID5 27		
			X - 13 X - 13	Q2 2.5 > 1.5 2.9 >			× ¤ 		
				× 3 × 3 × 3 × 3 × 3 × 3 × 3 × 3	X - 13 & -	ε	sss Fv		
			e	X • 13	£				
			X - 13	X - 13	X - 13 Ø	X - 13	X - 13 		
> ^{GND-DI}		13	× 0	13	13	13	13	13	GND−DI >6.4
REV	Modification FIRST ISSUE			NOD. : 201		ALL OUR DESIGNS WHICH CANN UTILIZED IN ANYFORM WITHOUT PROSECUTED.	OT BE REPRODUCED, TRANSMITTED, OBTAINING OUR WRITTEN CONSENT.	CONTRAVENTION WILL BE	SHEET 5 OF 7
		Approved AC	Drawing no.: 85	504180UL02		File name: 8550418 DRAFT.:	IOTIFICATION TIME TO TIME TO SUIT C 30UL02 DATE		/ 4 ⊲⊳ 6







		Com	oonents list			
em (-)	Description		Туре	Constructor	Sheet	Column
IN	SEZIONATORE GENERALE / GENERAL MAIN	SWITCH	OT 100 F3	ABB	1	0
Q1	MAGNETOTERMICO COMPRESS. / COMPRESS	DR MAIN SWITCH	MS 132 - 25	ABB	1	3
M1	MOTORE COMPRESSORE / COMPRESSOR MC	TOR			1	3
M2	MOTORE COMPRESSORE / COMPRESSOR MC	TOR			1	5
Q2	MAGNETOTERMICO COMPRESS. / COMPRESS	DR MAIN SWITCH	MS 132 - 25	ABB	1	5
Q3/Q4	MAGNETOTERMICO POMPA / PUMP MAIN SV	ІТСН	MS 132 -10	ABB	1	7
M3/M4	MOTORE POMPA / PUMP MOTOR				1	7
MV1	MOTORE VENTILATORE / FAN MOTOR				2	3
Q5/Q6	MAGNETOTERMICO VENTILATORE. / FAN MA	IN SWITCH	MS 132 -10		2	3
MV2	MOTORE VENTILATORE / FAN MOTOR				2	4
T1	TRASFORMATORE SERVIZI AUSILIARI / AUX	. TRANSFORMER	400 VA cod.0CM040070S309 -	ITALWEBER	3	4
F2	FUSIBILI TRASF. / TRANSFORMER FUSES		PMX - CC + CCMR 2A	WIMEX	3	4
F4	FUSIBILI TRASF. / TRANSFORMER FUSES		PMX - CC + CCMR 2A	WIMEX	3	4
F5	FUSIBILE TRASF. / TRANSFORMER FUSE		SFR.4.G12 + S506 - 5A	CABUR + BUSMAN	3	5
F3	FUSIBILI RELE'. SEQ. FASI / SEQUENCE PH	SE FUSES	PMX - CC + CCMR 1A	WIMEX		
CF1	RELE' SEQUENZA FASI / PHASE SEQUENCE	RELAY	70.618.400.0000	FINDER	3	6
F6	FUSIBILI MICROCHILLER 2 / MICROCHILLER 2	FUSES	SFR.4.GR + S 506 - 315mA	CABUR+BUSMAN		
P1	CONTATTORE POMPA / PUMP CONTACTOR		AF 12 - 30 - 10 - 13	ABB	4	0
R1	RESISTENZA CARTER / CRANKASE OIL HEA	THER			4	2
R2	RESISTENZA CARTER / CRANKASE OIL HEA	THER			4	2
۲1	CONTATTORE COMPRESSORE / COMPRESSO	R CONTACTOR	AF 26 - 30 - 00 - 13	ABB	4	4
C2	CONTATTORE COMPRESSORE / COMPRESSO	R CONTACTOR	AF 26 - 30 - 00 - 13	ABB	4	5
VSL1	VALVOLA SOLENOIDE / SOLENOID VALVE				4	6
V1	CONTATTORA VENTILATORE / FAN CONTA	TOR	AF 12 - 30 - 10 - 13	ABB	4	7
PR1	PRESSOSTATO ON-OFF COND. / ON-OFF I	RESSURE SWITCH			4	7
V2	CONTATTORA VENTILATORE / FAN CONTA	TOR	AF 12 - 30 - 10 - 13	ABB	4	8
PD	PRESSOSTATO DIFFERENZIALE / DIFF. PRE	SSURE SWITCH			5	3
Q1	MAGNETOTERMICO COMPRESS. / COMPRESS	DR MAIN SWITCH			5	4
Q2	MAGNETOTERMICO TRASF. / TRANSFORMER	MAIN SWITCH			5	4
TK1	TERMICO VENTILATORE / FAN TERMAL SWI	СН			5	5
EVISIONE	MODIFICA		·	PROGETTO: 85504180UL02	ŀ	FOGLIO
				COMMESSA: US MOD. : 201		
ATA	FIRMA	85504180	()'/	CLIENTE: TITOLO:		
06/07/2	2020				A: 06/07/2020	

		Components list			
Item (-)	Description			Sheet	Column
PA1	PRESSOSTATO DI ALTA / HIGH PRES	SSURE SWITCH		5	5
TK2	TERMICO VENTILATORE / FAN TERMA	L SWITCH		5	5
PB1	PRESSOSTATO DI BASSA / LOW PRES	SSURE SWITCH		5	6
222	SELETTORE ON-OFF REMOTO / REMO	TE ON-OFF SELECTOR		5	7
MCH1	REGOLATORE ELETTRONICO / ELECTRO	DNIC CONTOLLER		6	0
B1	SONDA DI REGOLAZIONE / REGULATIN	g probe		6	1
B2	Sonda antigelo / Anti Freeze Pro)BE		6	1
В3	SONDA TEMP. ARIA ESTERNA / EX	T. AIR TEMP. PROBE		6	1
		1			
REVISIONE	MODIFICA		PROGETTO: 85504180UL02 COMMESSA: US MOD. : 201		FÓGLIO 2
			CLIENTE:		_ ⊓ 2
DATA	FIRMA	- 85504180UL02	TITOLO:		1 4 1
06/07/202	20		DIS.:	DATA: 06/07/2020	_ 1 ⊲⊳

Cold	onna	4 0	œ		Colonna		~ m		- r		89					0 17		- 9				+ 00			n				4 M						m	_	
Fo	oglio	0002 0002	0002		Foglio	0001	0004 0001	0004 0001	0003	9000	0001	9000	9000	0004	10003	9000 9000	0002	0002	0002	0002	0005	0002	0005	0005	0005	0005	0005	0005	0005	0004	0004	9000	9000 9000	9000	0006		
				Nome cov																																	
lome cavo				Nome cave)	+																									-					7	
																															_					-	
i																																					
						++																									-		_		_	-	
						+																		\square									_			-	
	Origine	MV1:PE	MV2:PE		Origine		M1:GND	M2:GND	F4:2 M3.GND	MCH1:C1/2	M4:GND MCH1:C1/2	MCH1:C3/4 MCH1:C3/4	MLH1:L3/4	R1:2	CF1:14	11:5 MCH1:G0	RDV1:1	RDV1:2	RDV1:3	MV1:2	PA1:NC MV1.1	MV2:2	MV2:1 Q2:2		PU:2		PB1:NC		ארח ו: טואט	[1:2	L2:2 MCH1:N01	MCH1:ND4	MCH1:N03 MCH1:ID1	MCH1:ID2	MCH1:ID3 MCH1:ID4		
era:	N° filo	-	-	era:	N° filo		~	~	2	2										⊇ 돈 :					ε		ę	ę	<u>2</u>				18				
Morsettiera: T	٥N		~	Morsettiera: X	< °2	L			1	- 2	1	2	n ∧	m n	- ا س ا	9 9		م م	¢	2 = ;	3 1	12	ლ ლ	i Φ (<u>ت</u> ا	2 (E) (ت ت	ر (<u>n</u> (6	14	ر 15	17	18 22	23	25 26	2	
Mo	Mors.	ę ę		Mo	Mors.	P	0 @																														
	Destinazione	X:1:2	X:1:2		Destinazione			T:1:2	C1:1	C2:1	T:1:2 C2:1			C1. A 2	CH1:G		4.1.4 MV1:4	MV2:3	MV1:2	11 2:2										R1:1	K2:1 C1:A1	C2:A1	Q3:1 PD:1	Q1:1	PA1:COM PR1-COM		
																																				= 	
																										\downarrow										-	
																																				-	
Nome cavo				Nome cave	, c																				20-												
EVISIONE			MODIFI	CA																				CO	MME		85	50418 US	BOUL(MOD.		1						
ATA			FIRMA																					TIT	ENTE OLO:		Τ,	Х									
																								DIS	.:] [DAT	A: (06/07/2020	

	Colonn	na 🖻	4						S		
	Fogli	io	9000	9000	0000	0006	0000	0000	9000	9000	9000
Nome cav	0	-									
		+				\square			\square		
		+			-	-			\square		
		-				-					
					-						
	di De	Al Inite	5 L		۷ m	QN	>	4	Q	ы	05
	Č	5	MCH1:ID5	MCH1-B	MCH1B	MCH1:G	MCH1:+	MCH1:B.	MCH1:GI	MCH1:C	MCH1:N
	N° filo	2		28							
iera	Ň	z	2	0 0	- m		m	m	m	m	
Morsettiera: X	< ≗	z	27	80	6 00	2	34	5	36	22	80
Mor	More										
	M										_
	Dactina ziona						-	m	2		
		5		B1:1	B3:1	B3:2	101	1 1 1	TD1:		
					+						
Nome cav	0	+									
REVISIONE		I		MO	DIFI	CA					
DATA				FIR	MA						
L											