



2

NED 350L						
ProductNr	ItemNr	Model	Power Supply	Inlet A	Inlet B	Inlet C
8102 0482 61	4001 1652 61	NED 350L B12 230V	240V AC	G 1/2" F	G 3/4" F	G 1/2" F
8102 0482 62	4001 1652 62	NED 350L N12 115V	115V AC	NPT R1/2" F	G 3/4" F	G 1/2" F
8102 0482 63	4001 1652 63	NED 350L B12 24Vac	24V AC	G 1/2" F	G 3/4" F	G 1/2" F
8102 0482 64	4001 1652 64	NED 350L B12 24Vdc	24V DC	G 1/2" F	G 3/4" F	G 1/2" F

All materials supplied are in compliance with the requirements of the list of Prohibited Substances

CONFIDENTIAL: This document is our property and shall not be distributed or used without our permission. It is intended for internal use only and is not to be used for manufacturing or distribution by any other person or company.

PRESSURE EQUIPMENT PART	
Designed, built, tested, certified and marked according to	
European Directive PED 2014/68/EU and its amendments Art. 4.3	
UK Pressure Equipment (Safety) Regulation 2016 S.I. 2016/1105 Regulation 8	
Medium	AIR/WATER
Design pressure	16 bar
Min. design temperature	+1 °C
Max. design temperature	+60 °C
Nominal diameter (DN)	15
Volume	1,5 L
Test pressure	24 bar
Testing according to SQA-plan :	Sample test: <input checked="" type="checkbox"/> 100% test: <input type="checkbox"/>

Ed	Position	Modified from	Date	Intr./Appd.
2		Drain naming 350L was 700LC	23/08/2022	User Agent

4001165460-M1	
Parent 3D model	Ed . Version 3D

Tolerances, if not indicated, according to:					
STANDARD CLASS					
Name	DRAIN ELECTRONIC		NED 350L		Confidentiality Class acc. to 1102 K Confidential
Material	Not Applicable				
Treatment	Untreated				INV
	Scale	1 : 2	Family	A2 Compare	
	Drawn by	AIR15392	Blank nr.	Replaces	
Version Drwg	Blank wt	Kg	Finl wt.	3,450 kg	Designation
STATUS	Des checked.	Prod checked.	Approved.	Date	7/06/2022
Released					4001165260-01
					Sheet 1 / 1